ELSEVIER

Marine Micropaleontology 32 (1997) 401–402

MARINE MICROPALEONTOLOGY

Contents Volume 32, 1997

Special Issue: Marine Micropaleontology in China (Edited by WANG Pinxian)

Introduction 1

Marine Cretaceous–Paleogene biofacies and ichnofacies in southern Tibet, China, and their sedimentary significance
Z. Zhou, H. Willems and B. Zhang 3

Calcareous nannofossil biostratigraphy in the Pearl River Mouth Basin, South China Sea, and Neogene reticulofenestrid coccoliths size distribution pattern
L. Huang 31

Pulleniatina obliquiloculata as a paleoceanographic indicator in the southern Okinawa Trough during the last 20,000 years
Li Baohua, Jian Zhimin and Wang Pinxian 59

Surface ocean and monsoon climate variability in the South China Sea since the last glaciation
C.-Y. Huang, S.-F. Wu, M. Zhao, M.-T. Chen, Chung-Ho Wang, X. Tu and P.B. Yuan 71

Glacial–Holocene calcareous nannofossils and paleoceanography in the northern South China Sea
K.-Y. Wei, T.-N. Yang and C.-Y. Huang 95

Late Quaternary pteropods in the South China Sea: carbonate preservation and paleoenvironmental variation
L. Wang, Z. Jian and J. Chen 115

Late Quaternary benthic foraminifera and deep-water paleoceanography in the South China Sea
Z. Jian and L. Wang 127

Controlling factors of coccolith distribution in surface sediments of the China seas: marginal sea nannofossil assemblages revisited
X. Cheng and P. Wang 155

Radiolarian distribution in surface sediments of the northern and central South China Sea
M. Chen and Z. Tan 173

Distribution of the ostracod genera *Krithe* and *Parakrithe* in bottom sediments of the East China and Yellow seas
Q. Zhao and R. Whatley 195

Regular Research Papers

Distribution of diatoms in surface sediments of Prydz Bay, Antarctica
F. Taylor, A. McMinn and D. Franklin 209

Magnesium and strontium compositions of Recent benthic foraminifera from the Coral Sea, Australia and Prydz Bay, Antarctica
A.E. Rathburn and P. De Deckker 231

Recent benthic foraminifera from the eastern South Atlantic Ocean: Dependence on food supply and water masses
G. Schmiedl, A. Mackensen and P.J. Müller 249

The surface ocean productivity response of deeper water benthic foraminifera in the Atlantic Ocean
M. Fariduddin and P. Loubere 289

New estimates for salinity changes in the Western Pacific Warm Pool during the Last Glacial Maximum: oxygen-isotope evidence
J.I. Martinez, P. De Deckker and A.R. Chivas 311
Response of nannoplankton to major changes in sea-surface temperature and movements of hydrological fronts over Site DSDP 594 (south Chatham Rise, southeastern New Zealand), during the last 130 kyr
P. Wells and H. Okada 341
Paleozoic and Triassic conodonts from the Northwind Ridge of the Arctic Ocean
D.L. Clark, A. Grantz and M.W. Mullen 365
Parmales species (siliceous marine nanoplankton) in surface sediments of the Weddell Sea, Southern Ocean: indicators for sea ice environment?
U. Zielinski 387

Discussion
The El Kef blind test: How blind was it? — Comment
T.J. Kouwenhoven 397
Not so blind El Kef Test — Reply
R.N. Ginsburg 399